



Sanet Daily Quick and Easy

WM 0713601

Order number: 0713601

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sanet Daily Quick and Easy
Identification number : 33-535

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.
Eye irritation, Category 2 H319: Causes serious eye irritation.
Skin irritation, Category 2 H315: Causes skin irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H290 May be corrosive to metals.



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
Precautionary statements	: P102	Keep out of reach of children.
	Prevention:	
	P260	Do not breathe spray.
	P280	Wear protective gloves/ eye protection/ face protection.
	Response:	
	P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
	P302 + P350	IF ON SKIN: Gently wash with plenty of soap and water.
	Disposal:	
	P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

I-(+)-lactic acid

Safety data sheet available on request.

Classification in use concentration

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
I-(+)-lactic acid	79-33-4 201-196-2 01-2119474164-39	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL ≥ 10 % 2; H315 ≥ 3 % 1; H318 1 - < 3 % 2; H319	≥ 5 - < 10



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 5 - < 10
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 01-2119488530-36	Eye Dam. 1; H318 SCL > 10 % 1; H318	>= 3 - < 5
methanesulphonic acid	75-75-2 200-898-6 01-2119491166-34	Skin Corr. 1B; H314 Met. Corr. 1; H290 Acute Tox. 4; H312 Acute Tox. 4; H302 STOT SE 3; H335 Eye Dam. 1; H314 SCL 5 - 100 % 1B; H314 3 - < 5 % 1; H318 3 - < 5 % 2; H315 1 - < 3 % 2; H319 1 - < 3 % 2; H315	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
Protect unharmed eye.
Continue rinsing eyes during transport to hospital.



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects
Irritation

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons
Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local
circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water
courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must
not be discharged into drains. Fire residues and contaminated fire
extinguishing water must be disposed of in accordance with local
regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

6.2 Environmental precautions



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

DNEL

**I-(+)-lactic acid
79-33-4:**

: End Use: Workers
Exposure routes: Inhalation
Potential health effects: Short-term exposure, Local effects
Value: 592 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Short-term exposure, Systemic effects
Value: 35,4 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Short-term exposure, Local effects
Value: 296 mg/m³

**Alcohols, C12-14, ethoxylated,
sulfates, sodium salts
68891-38-3:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2750 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 175 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 1650 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 52 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 15 mg/kg

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,132 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,079 mg/cm²

**D-Glucopyranose, oligomers,
decyl octyl glycosides
68515-73-1:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

methanesulphonic acid
75-75-2:

Value: 595000 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 420 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 357000 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 124 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 35,7 mg/kg

: End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term local effects
Value: 2,89 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 19,44 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 1,44 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Acute systemic effects
Value: 1,44 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 8,33 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 6,76 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

Value: 8,33 mg/kg

End Use: Consumers

Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 1,73 mg/m³

PNEC

**I-(+)-lactic acid
79-33-4:**

: Fresh water
Value: 1,3 mg/l

STP
Value: 10 mg/l

**Alcohols, C12-14, ethoxylated,
sulfates, sodium salts
68891-38-3:**

: Fresh water
Value: 0,24 mg/l

Marine water
Value: 0,024 mg/l

Fresh water sediment
Value: 0,9168 mg/kg

Marine sediment
Value: 0,09168 mg/kg

Soil
Value: 7,5 mg/kg

STP
Value: 10000 mg/kg

intermittent release
Value: 0,071 mg/l

**D-Glucopyranose, oligomers,
decyl octyl glycosides
68515-73-1:**

: Fresh water
Value: 0,176 mg/l

Marine water
Value: 0,0176 mg/l

intermittent release
Value: 0,27 mg/l

STP
Value: 560 mg/l

Fresh water sediment
Value: 1,516 mg/kg

Marine sediment
Value: 0,152 mg/kg



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

**methanesulphonic acid
75-75-2:**

Soil
Value: 0,654 mg/kg

: Fresh water
Value: 0,012 mg/l

Marine water
Value: 0,0012 mg/l

Fresh water sediment
Value: 0,0251 mg/kg

Soil
Value: 0,00183 mg/kg

Intermittent use/release
Value: 0,12 mg/l

Sewage treatment plant
Value: 100 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374 (0,4 mm).

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

Appearance	: liquid
Colour	: pink
Odour	: characteristic
Odour Threshold	: No data available
pH	: ca. 1,1, at20 °C
Melting point/range	: No data available
Boiling point/boiling range	: No information available.
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,04 g/cm ³ at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg
Method: Calculation method

Skin corrosion/irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation : No data available

Further information : No data available

Components:

I-(+)-lactic acid

79-33-4:

Acute oral toxicity : LD50 Rat: 3.730 mg/kg
LD50 Mouse: 4.875 mg/kg



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

	LD50 Oral Guinea pig: 1.810 mg/kg
Acute inhalation toxicity	: LC50 Rat: 7,94 mg/l Exposure time: 4 h
Acute dermal toxicity	: LD50 Rabbit: > 2.000 mg/kg

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity	: LD50 Oral Rat: 4.100 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute dermal toxicity	: LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes
Skin corrosion/irritation	: Species: Rabbit Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Test Method: Maximisation Test Species: Guinea pig Result: Did not cause sensitisation on laboratory animals. Method: OECD Test Guideline 406
Germ cell mutagenicity	
Genotoxicity in vitro	: Result: negative Method: OECD Test Guideline 471
Reproductive toxicity	: Species: Rat Application Route: Oral NOAEL: > 300 mg/kg, F1: > 300 mg/kg, Method: OECD Test Guideline 416
Teratogenicity	: Species: Rat Application Route: Oral >1.000 mg/kg > 1.000 mg/kg Method: OECD Test Guideline 414
Repeated dose toxicity	: Rat: NOAEL: > 225 mg/kg Application Route: Oral Exposure time: 90 Days



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

Method: OECD Test Guideline 408
Target Organs: Liver

STOT - repeated exposure : Exposure routes: Ingestion
Target Organs: Liver

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Acute oral toxicity : LD50 Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : Rabbit: > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation : Species: Rabbit
Result: Mild skin irritation
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit
Result: Irreversible effects on the eye
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Species: Guinea pig
Result: Does not cause skin sensitisation.
Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro : Type: Ames test
Result: negative
Method: OECD Test Guideline 471

methanesulphonic acid

75-75-2:

Acute oral toxicity : LD50 Rat: 200 mg/kg

LD50 Rat: 649 mg/kg

Acute inhalation toxicity : LC0 Mouse: > 1,88 mg/l
Exposure time: 1 h

LC0 Rat: 0,74 mg/l
Exposure time: 6 h

Acute dermal toxicity : LD50 Rabbit: > 1.000 - 2.000 mg/kg



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

SECTION 12: Ecological information

12.1 Toxicity

Components:

I-(+)-lactic acid

79-33-4:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l Exposure time: 96 h LC50 (Fish): 320 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 130 mg/l Exposure time: 48 h EC50 (Daphnia pulex (Water flea)): 240 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Selenastrum capricornutum): 3.500 mg/l ErC50 (Pseudokirchneriella subcapitata (microalgae)): 2.800 mg/l Exposure time: 72 h
Toxicity to bacteria	: EC50 : > 100 mg/l Exposure time: 3 h

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test Method: OECD Test Guideline 203 LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203 NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

	Method: OECD Test Guideline 202
	NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
	EC50 (Scenedesmus subspicatus): 10 - 100 mg/l Method: OECD Test Guideline 201
	EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
	NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes
	EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l
	NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden orfe)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
methanesulphonic acid 75-75-2:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 10 - 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 10 - 100 mg/l Exposure time: 48 h Test Type: static test



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

	Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Scenedesmus capricornutum (fresh water algae)): 10 - 100 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 : 10 - 100 mg/l Exposure time: 72 h Method: see user defined free text Remarks: see user defined free text

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

I-(+)-lactic acid

79-33-4:

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g
Incubation time: 5 d

600 mg/g
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

methanesulphonic acid

75-75-2:

Biodegradability : Result: rapidly biodegradable
Biodegradation: > 99 %
Exposure time: 28 d



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

12.3 Bioaccumulative potential

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

methanesulphonic acid

75-75-2:

Partition coefficient: n-octanol/water : log Pow: -2,38

12.4 Mobility in soil

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among environmental compartments : Adsorption/Soil
Medium:Soil
Koc: 191Method: see user defined free text

methanesulphonic acid

75-75-2:

Distribution among environmental compartments : Koc: 1Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

	Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	: Only give completely emptied packaging to special waste disposer. Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
Waste Code	European Waste Catalogue 20 01 29* According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR	: 3265
IMDG	: 3265
IATA	: 3265

14.2 Proper shipping name

ADR	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (I-(+)-lactic acid)
IMDG	: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (I-(+)-lactic acid)
IATA	: Corrosive liquid, acidic, organic, n.o.s. (I-(+)-lactic acid)

14.3 Transport hazard class

ADR	: 8
IMDG	: 8
IATA	: 8

14.4 Packing group

ADR	
Classification Code	: C3
Packaging group	: III
Hazard Identification Number	: 80
Labels	: 8
Tunnel restriction code	: (E)
IMDG	
Packaging group	: III
Labels	: 8
EmS Number	: F-A, S-B
IATA	
Packing instruction (cargo aircraft)	: 856
Packing instruction (LQ)	: Y841
Packaging group	: III
Labels	: 8



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

IATA

Environmentally hazardous : no

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU : Not applicable
of the European Parliament and of
the Council on the control of
major-accident hazards involving
dangerous substances.

Volatile organic compounds : Percent volatile: 10,98 %
(VOC) content 700,45 g/l
VOC content excluding water

Volatile organic compounds : Percent volatile: 10,98 %
(VOC) content 114,23 g/l
VOC content valid only for coating materials used on wood surfaces

according to Detergents : 5 - <15% Anionic surfactants, <5% Non-ionic surfactants, Perfumes
Regulation EC 648/2004

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.



Sanet Daily Quick and Easy

WM 0713601

Order number: 33-535

Version 6.0

Revision Date 15.02.2018

Print Date 05.11.2018

H412 Harmful to aquatic life with long lasting effects.

Further information

Classification procedure:	H290	On basis of test data.
	H319	On basis of test data.
	H315	On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.